

IN THE CLAIMS

Please amend the claims as follows:

Claim 1 (Currently Amended): A liquid crystal display ~~including~~ comprising:

a liquid crystal panel having two screens[[,]];

a first front light placed in a vicinity of one of the two screens of said liquid crystal panel[[,]];

a second front light placed in a vicinity of the other one of the two screens of said liquid crystal panel[[,]]; and

a pixel driving circuit ~~for driving~~ configured to drive pixels of said liquid crystal panel to ~~display an image on said liquid crystal panel, characterized in that said pixel driving circuit alternately displays~~ display a first image and a second image on said liquid crystal panel, [[and]] wherein said first front light lights up while the first image is displayed on said liquid crystal panel by said pixel driving circuit, and said second front light lights up while the second image is displayed on said liquid crystal panel by said pixel driving circuit.

Claim 2 (Currently Amended): The liquid crystal display according to Claim 1, ~~characterized in that~~ wherein when displaying the first or second image on the liquid crystal panel, the pixel driving circuit applies image data about the image to be displayed on the liquid crystal panel to a plurality of gate lines of the liquid crystal panel in turn, and the first or second front light lights up after the image data has been applied to all the gate lines.

Claim 3 (Currently Amended): The liquid crystal display according to Claim 1, ~~characterized in that in a case where~~ wherein each of the first and second front lights includes a plurality of light sources, ~~when displaying the first or second image on the liquid crystal panel,~~ and the pixel driving circuit applies image data about the image to be displayed on the liquid crystal panel to a plurality of gate lines of the liquid crystal panel in turn to cause the plurality of light sources which respectively correspond to the plurality of gate lines to light up in an order that the image data is applied to the plurality of gate lines.

Claim 4 (Currently Amended): The liquid crystal display according to Claim 1, ~~characterized in that~~ wherein the liquid crystal panel includes a liquid crystal cell having the ~~plurality of~~ pixels, a pair of transparent glass substrates which sandwich said liquid crystal cell, and a pair of polarizing plates placed outside said pair of transparent glass substrates.

Claim 5 (Currently Amended): The liquid crystal display according to Claim 1, ~~characterized in that~~ wherein a liquid crystal layer, which ~~constitutes~~ includes the liquid crystal panel, has a bend alignment.

Claim 6 (Currently Amended): The liquid crystal display according to Claim 1, ~~characterized in that~~ wherein a circular polarizing plate is placed outside a TFT substrate which ~~constitutes~~ includes the liquid crystal panel.

Claim 7 (Currently Amended): The liquid crystal display according to Claim 1, ~~characterized in that~~ wherein a liquid crystal layer, which ~~constitutes~~ includes the liquid crystal panel, has a substantially-parallel alignment.

Claim 8 (Currently Amended): The liquid crystal display according to Claim 7, ~~characterized in that~~ wherein a material of the liquid crystal layer has refractive index anisotropy which falls within a range of 0.1 to 0.2, and the liquid crystal layer has a birefringence value which falls within a range of 350 nm to 550 nm.

Claim 9 (Currently Amended): The liquid crystal display according to Claim 7, ~~characterized in that~~ wherein a circular polarizing plate is placed outside a TFT substrate ~~which constitutes~~ that includes the liquid crystal panel.

Claim 10 (Currently Amended): The liquid crystal display according to Claim 1, ~~characterized in that~~ wherein a direction in which light is emitted out of each of the first and second front lights is inclined with respect to a direction perpendicular to the liquid crystal panel, and the direction in which the light is emitted out of the first front light differs from the direction in which the light is emitted out of the second front light.

Claim 11 (Currently Amended): The liquid crystal display according to Claim 10, ~~characterized in that~~ wherein the direction in which the light is emitted out of each of the first and second front lights is inclined toward an upward or downward direction by ~~a certain~~ an angle of 5 to 10 degrees with respect to the direction perpendicular to the liquid crystal panel,

and the direction in which the light is emitted out of the first front light differs from the direction in which the light is emitted out of the second front light by ~~a certain~~ an angle of 10 to 20 degrees.

Claim 12 (Currently Amended): The liquid crystal display according to Claim 10, ~~characterized in that~~ wherein the direction in which the light is emitted out of each of the first and second front lights is inclined toward a direction opposite to a direction of a light source of each of the first and second front lights by ~~a certain~~ an angle of 5 to 10 degrees with respect to the direction perpendicular to the liquid crystal panel, and the direction in which the light is emitted out of the first front light differs from the direction in which light is emitted out of the second front light by ~~a certain~~ an angle of 10 to 20 degrees.

Claim 13 (Currently Amended): Information equipment ~~provided with~~ comprising:  
a liquid crystal display ~~in which~~ including a first front light ~~[[is]]~~ placed ~~[[on]]~~ in a vicinity of one of two screens of a liquid crystal panel, a second front light ~~[[is]]~~ placed ~~[[on]]~~ in a vicinity of the other one of the two screens of said liquid crystal panel, and a pixel driving circuit ~~for driving~~ configured to drive pixels of said liquid crystal panel to display an image on said liquid crystal panel ~~is disposed;~~ and

an image controller ~~for outputting~~ configured to output image data about the image which is to be displayed on said liquid crystal panel to said pixel driving circuit, ~~characterized in that when receiving~~ wherein

said pixel driving circuit is configured to receive image data about a first image and image data about a second image from said image controller, ~~said pixel driving circuit and~~

alternately ~~displays~~ display the first and second images on said liquid crystal panel, and said first front light lights up while the first image is displayed on said liquid crystal panel by said pixel driving circuit, and said second front light lights up while the second image is displayed on said liquid crystal panel by said pixel driving circuit.